

WOUND PRODUCT CATEGORY LISTING FOR WRH

PRODUCT CATEGORY	DESCRIPTION	USAGE/CONSIDERATIONS	CURRENTLY IN USE
Antimicrobial	<ul style="list-style-type: none"> • Sheet, gel, paste, mesh, strip gauze, foam 	<ul style="list-style-type: none"> • Broad spectrum topical antimicrobials to reduce localized bacteria 	<ul style="list-style-type: none"> • Iodosorb Ointment • Medihoney • Inadine Mesh • Silvercel • Acticoat Flex 3 • Biatain Ag • Biatain Alginate Ag • AMD (contains PHMB – Polyhexamethylene Biguanide)
Biologic	<ul style="list-style-type: none"> • Gel, wafer, sheet 	<ul style="list-style-type: none"> • Highly selective patient population • Skill required for application 	<ul style="list-style-type: none"> • Promogran • Prisma • Oasis
Calcium Alginate	<ul style="list-style-type: none"> • Sheet or rope 	<ul style="list-style-type: none"> • For use with moderate to heavily exudating wounds • May assist with the control of minor bleeding 	<ul style="list-style-type: none"> • Tegaderm Alginate
Charcoal	<ul style="list-style-type: none"> • Charcoal contained within product 	<ul style="list-style-type: none"> • Masks odour 	<ul style="list-style-type: none"> • Actisorb Silver
Clear Acrylic	<ul style="list-style-type: none"> • Transparent film and clear acrylic polymer pad topped with 	<ul style="list-style-type: none"> • Allows for monitoring of small to moderately exudating wounds 	<ul style="list-style-type: none"> • Tegaderm Absorbent

	breathable, waterproof film	without changing the dressing <ul style="list-style-type: none"> • Supports autolytic debridement • Extended wear-time 	
Film/Membrane	<ul style="list-style-type: none"> • Semi-permeable, polyurethane adhesive sheets 	<ul style="list-style-type: none"> • May help to reduce friction to susceptible skin (e.g. hip bones) • Not to be used on draining or infected wounds 	<ul style="list-style-type: none"> • Tegaderm • IV 3000 (may be used if patient has sensitivity to tegaderm)
Foam	<ul style="list-style-type: none"> • Non-adherent or adherent polyurethane • Polyhexamethylene Biguanide (PHMB) and silver available 	<ul style="list-style-type: none"> • For use with moderate or heavily exuding wounds 	<ul style="list-style-type: none"> • Mepilex White Foam • Mepilex Border
Hydrogel	<ul style="list-style-type: none"> • Polymer with high water content 	<ul style="list-style-type: none"> • Adds moisture • May promote autolytic debridement 	<ul style="list-style-type: none"> • Intrasite Gel • Normlgel
Hydrophilic Fiber	<ul style="list-style-type: none"> • Sheet or packing strip 	<ul style="list-style-type: none"> • For use with moderate amounts of exudate 	<ul style="list-style-type: none"> • Aquacel
Hypertonic	<ul style="list-style-type: none"> • Gauze ribbon, gauze wafer or gel impregnated with salt concentrate 	<ul style="list-style-type: none"> • Can be used for moderate to large amounts of exudate • Can be used with necrotic tissue • May cause irritation to the skin surrounding the wound • Use 3M No Sting Barrier or Vaseline on 	<ul style="list-style-type: none"> • Mesalt • Hypergel

		the periwound skin	
Negative Pressure Wound Therapy (NPWT)	<ul style="list-style-type: none"> • Applies localized negative pressure to the surface of the wound to enhance localized blood flow and remove excess fluid within the area 	<ul style="list-style-type: none"> • Highly selective patient population • Not to be used with the presence of eschar, untreated osteomyelitis or wound malignancy • Do not place over exposed blood vessels or organs • Do not use with non-enteric or unexplored fistulas 	<ul style="list-style-type: none"> • VAC (Vacuum Assisted Closure)
Non-adherent Synthetic	<ul style="list-style-type: none"> • Porous sheet with low adherence that serves as a contact layer allowing the transfer of exudate to a secondary dressing 	<ul style="list-style-type: none"> • For use with painful or friable wound bases 	<ul style="list-style-type: none"> • Mepitel